

## SAFETY DATA SHEET

## PROTECTA FR GRAPHITE SEALANT

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Trade name: Other names / Synonyms: Product no.: PROTECTA FR GRAPHITE SEALANT PROTECTA FR GRAPHITE 1000

Restricted to professional users.

## **1.2. Relevant identified uses of the substance or mixture and uses advised against** *Relevant identified uses of the substance or mixture:* Industrial purposes, Sealant

elevant identified uses of the s

Uses advised against :

None known.

## 1.3. Details of the supplier of the safety data sheet

Company and address:

Polyseam Ltd. 15 St Andrews Road HD1 6SB, UK Huddersfield United Kingdom +44 (0)1484 421 036 https://www.polyseam.com/

post.uk@polyseam.com

09/02/2024 3.0

09/02/2024 (2.0)

## 1.4. Emergency telephone number

Date of previous version:

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

E-mail:

Revision:

SDS Version:

Hazard pictogram(s): Signal word: Hazard statement(s): Precautionary statement(s):

Not applicable. Not applicable. Not applicable.



General:	-
Prevention:	-
Response:	-
Storage:	-
Disposal:	-
Hazardous substances:	Frits, chemicals
Additional labelling:	EUH210, Safety data sheet available on request.
Other hazards	

Additional warnings:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

2.3.

Not applicable. This product is a mixture.

## 3.2. ▼Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
3-iodo-2-propynyl butylcarbamate	CAS No.: 55406-53-6 EC No.: 259-627-5 UK-REACH: Index No.: 616-212-00-7	<0.05%	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Phenol, isopropylated, phosphate (3:1)	CAS No.: 68937-41-7 EC No.: 273-066-3 UK-REACH: Index No.:	<0.05%	Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 1, H410 (M=10)	[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### ▼ Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures



General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injure person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of th respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	Upon irritation: rinse with water. In the ever of continued irritation, seek medical assistance.
Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.
Burns:	Not applicable.

## **4.2.** Most important symptoms and effects, both acute and delayed None known.

## **4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2) Some metal oxides

## 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1. Personal precautions, protective equipment and emergency procedures** Remove flammable materials if conditions allow it. Ensure sufficient ventilation. Ensure adequate ventilation, especially in confined areas.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Storage temperature:

Keep only in original packaging.

Strong acids, strong bases, strong oxidizing

agents, and strong reducing agents.

Dry, cool and well ventilated 5 - 30°C

*Incompatible materials:* 

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Aluminium hydroxide Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 2

sodium hydroxide;caustic soda Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

No data available.

#### PNEC

No data available.

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
Appropriate technical measures:	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.
Hygiene measures:	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.
Measures to avoid environmental exposure:	No specific requirements.

#### Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

#### Respiratory Equipment:

Туре	Class	Colour	Standards	
No special when used as intended.				

Skin protection:



Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-	Ŷ

#### Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	0.1	10 minutes	Nitrile EN 374- 1:2016/Type C	

#### *Eye protection:*

-	ye protection.	-	
	Туре	Standards	
	Safety glasses with side shields.	EN166	

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

2.1.	information on publical and enclinear properties		
	Physical state:	Paste	
	Colour:	Black	
	Odour / Odour threshold:	Characteristic	
	рН:	8.5	
	Density (g/cm³):	1.55	
	Kinematic viscosity:	Testing not relevant or not possible due to the nature of the product.	
	Particle characteristics:	Not applicable	
Phase	e changes		
	Melting point/Freezing point (°C):	Not applicable	
	Boiling point (°C):	Not applicable	
	Vapour pressure:	Not applicable	
	Relative vapour density:	No data available	
	Decomposition temperature (°C):	160	
Data	on fire and explosion hazards		
	Flash point (°C):	Not applicable	
	Flammability (°C):	Not applicable	
	Auto-ignition temperature (°C):	Not applicable	
	Lower and upper explosion limit (% v/v):	Not applicable	



#### Solubility

Solubility in water: n-octanol/water coefficient (LogKow):

Solubility in fat (g/L):

#### 9.2. Other information

Dust explosion class: Evaporation rate (n-butylacetate = 100): Other physical and chemical parameters: Oxidizing properties:

#### Completely soluble

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

St0 (No explosion) Not applicable No data available. Not applicable

#### SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity** No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- **10.3.** Possibility of hazardous reactions None known.
- **10.4.** Conditions to avoid None known.
- **10.5. Incompatible materials** Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
- **10.6.** Hazardous decomposition products The product is not degraded when used as specified in section 1.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.



#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **11.2.** Information on other hazards

#### Long term effects

None known.

#### **Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### **Other information**

None known.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity


No data available.

- **12.2. Persistence and degradability** Based on available data, the classification criteria are not met.
- **12.3. Bioaccumulative potential** Based on available data, the classification criteria are not met.
- **12.4. Mobility in soil** No data available.
- **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
- **12.6.** Endocrine disrupting properties This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.
- **12.7.** Other adverse effects None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. ▼Waste treatment methods

Product is not covered by regulations on dangerous waste. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK



law.

EWC code:

08 04 10

Waste adhesives and sealants other than those mentioned in 08 04 09

#### **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

			14.3 Hazard class(es)			Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

#### \*\* Environmental hazards

**Additional information** 

Not dangerous goods according to ADR, IATA and IMDG.

- **14.6.** Special precautions for user Not applicable.
- **14.7.** Maritime transport in bulk according to IMO instruments No data available.

## **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	Restricted to professional users.
Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substances:	Not applicable.
Additional information:	Not applicable.
Sources:	Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

## 15.2. Chemical safety assessment



No

#### SECTION 16: OTHER INFORMATION

#### ▼ Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H331, Toxic if inhaled.

H361, Suspected of damaging fertility or the unborn child.

H372, Causes damage to organs through prolonged or repeated exposure.

H373, May cause damage to organs through prolonged or repeated exposure.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## **Additional information**

Not applicable.

## ▼ The safety data sheet is validated by

Wol Hluchan

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en